

WANHAO Duplicator i3 PLUS

Catalogue Draft

Printer DEMO PRINT SAMPLE IMPROVEMENT OVER ALL VIEW COMPARISION CHART

Duplicator i3 Plus

Professional 3D Printer New 2016 Model

PRINTER DEMONSTRATION


REVOLUTIONARY WORK OF REPRAP CORE DEVELOPPER PRUSA

"THE FULL ASSEMBLIED 3D PRINTER, COMPLEX BUT SIMPLE!
A SMALL STEP FOR WANHAO. A GIANT LEAP FOR YOU."

PRECISION . PRODUCTIVITY .

COMPATIBILITY

ANY QUESTION, FEEL FREE TO CONTACT: SALES@WANHAO3DPRINTER.COM









- WORKS WITH ANY COMPATIBLE INTRAORAL, PLASTER OR IMPRESSION SCANNER (OPEN SYSTEM)
- ACCURATELY, CONSISTENTLY AND ECONOMICALLY MANUFACTURES PRECISION MOLD MODELS INCLUDING
- TOYS, PROTOTYPING, SAMPLE MAKING, ART DESIGN, HOME WORK, ENGINEERING PARTS
- OUTSTANDING FIT AND MARGIN LINE ADAPTATION
- EASY TO USE




For more information about WANHAO Professional 3d Printers, visit www.wanhao3dprinter.com or distributor website.

Duplicator i3 Plus

Professional 3D Printer

PRINT SAMPLE



WANHAO DUPLICATOR 13 PLUS IS FULL ASSEMBLIED 3D PRINTER. ALL YOU NEED TO DO IS PLUG IN THE POWER AND TURN ON THE PRINTER, THEN START YOUR PRINGING JOURNEY. THIS MACHINE IS SPECIALLY DESIGNED FOR THE HOME USER WHO HAS NO 3D EXPERIENCE BEFORE AND WHO HAS SMALL BUGET BUT BIG DREAM OF 3D PRINTING.

FULL COVERED POWER AND
CONTROL BOX
SAFETY IS NO.1 STANDARD FOR ALL
WANHAO PRINTER. WANHAO ONLY
USE CE,CB,FCC CERTIFIED POWER
SUPPLY UNIT AND CONTROL BOARD.
YOUR SAFETY, WE CARE!

LONE LIFE BEARING COMPONENTS
ALL WANHAO SPARE PARTS ARE UNIQUE
DESIGNED. BASED ON WANHAO
SUPERIOR MACHINING SHOP, ALL
PARTS ARE FINELY PRODUCED AND
INSPECTED. WE GUARANTEE ALL SPARE
PARTS ARE QUALIFIED.







MORE THAN YOUR EXPECTATION!



WANHAO APPLIED 3 LINEAR BEARING
ON THE EXTRUDER. THIS IS NOT ONLY
INCREASE THE COST BUT ALSO IMPROVE
THE STABILITY OF PRINT. BECAUSE
3 POINTS DETERMINE ONE PLANE
WHICH ENABLE THE AMOUNTING THE
EXTRUDER ON A NONE-SHAKING PLANE.
THEREFORE YOU GET BETTER PRINT THAN
ANY OTHER I3 V2 PRINTER.



UNIQUE MK10 EXTRUDER
WANHAO UNIQUE MK10 EXTRUDER
DESIGN PROVIDE MORE SMOOTH
EXTRUDING AND EASY LOADING AND
UN-LOADING.LESS EXTRUDER
TROUBLE, MORE RELIABLE! EXTRA
COOLING FAN MAKE YOUR PRINTS
SHARPER THAN
EVER. PRINTING QUALITY WE ARE
EXPERT.



CNC DRAG CHAIN
THIS DESIGN ONLY EXIST IN
PREMIEUM MACHIES. A BUNDLE
OF CABLE SHALL NEVER BECOME
YOUR HEADACHE. MORE QUIET AND
SMOOTHER THAN EVER.

OVER ALL VIEW

Duplicator i3 Plus

Professional 3D Printer









WanHao i3 plus Specification

Machine Type:	Wanhao i3 plus 3D Printer
Best ambient Temperature:	≥25°c
Print precision:	0.1 MM(Minimal)
Build Size:	200 X 200 X 180MM
Extruder quantity:	MK10 Single extruder
Speed:	10-70MM/S adjustable
Positioning accuracy:	z 0.004MM,xy 0.012MM
Extruder Diameter:	0.4MM

Recommended Extruder Temperature:

190-210°c(Maximum can be set to 260°c)

Heating plate temperature:

40-70°c(proper winter warming and


Summer appropriate cooling)


Power Supply unit:	110V or 220V,240	W,50HZ	, 0.89A
Connection:	Via TF card	d or usb,	sd card
Printer reading Forn	nat:		<u>gcode</u>
Compatibility:	Nindows Xp, Wi	ndows	Vista,
Windows 7, linux, M	ас ох		
Certification:		FCC	,CE, CB
Unit Weight:			10Kg
Printer unfolding Siz	ie: 400 X	X 410 X4	00MM

Package Size: 500X480X300MM
Material Type: ABS and PLA Filamentss
Material Specifications: 1.75 MM in Diameter5

Material colors: Wanhao classic 40 colors








- 5. X AXIS STEPPER MOTOR
- 6. HOT END
- 7. Z AXIS DRIVE SCREW
- 8. Power Switch
- 9. Power Socket



2016 WANHAO DUPLICATOR SERIES PRINTER COMPARISION CHART

	I3 V2	WANHAO Duplicator 13 Plus I 3 PLUS	D5S MINI	WANNAO Duplicator 6
Extruder Quantity	1	1	1	1
Max printing speed	70mm/s	70mm/s	150mm/s	150mm/s
Max printable area	200*200*180mm	200*200*180mm	290*190*190mm	200*200*180mm
Filament diameter	1.75mm(+0.05-0.05)	1.75mm(+0.05-0.05)	3.0mm(+0.05 -0.05)	1.75mm(+0.05 -0.05)
Material support	PLA,PVA PEVA,ABS(small object)	PLA,PVA PEVA,ABS(small object)	PLA, PVA	PLA, ABS, PVA, PEVA, HIPS,
Software	CURA, host by Repitator	CURA, host by Repitator	Wanhao Maker	CURA
Layer Thickness	100 micron- 400 micron	100 micron- 400 micron	20 micron- 300micron	20micron- 200micron
Rail locking system	Plastic screw up	Plastic screw up	CNC Aluminium Casting Frame	Aluminium screw up
Plateform Holder	Plastic holder	Plastic holder	Steel frame holder	CNC aluminium frame holder
Accuracy	Normal	Normal	Excellent	Excellent
LCD display	English only	English only	OLED with English/ Chinese	OLED with English/ Chinese
Weight(kg)	10.0kg	10.0kg	25kg	13.9kg
Overall size(cm)	40 x 41 x 40cm	40 x 41 x 40cm	46x53x48cm	40.4x39.6x57.5cm
Packing size(cm)	50x38x30cm	50x38x30cm	61x57x56cm	50x50x55cm





Contact Information

YOU MAY CONTACT WANHAO OFFICIAL DISTRIBUTOR ON OUR WEBSITE.

WEB: WWW. WANHAO3DPRINTER.COM

EMAIL: SALES@WANHAO3DPRINTER.COM

TECHNICAL SUPPORT: SUPPORT @WANHAO3DPRINTER.COM

ADDRESS: NO.77 RENMING ROAD, WUCHENG DISTRICT, JINHUA, ZHEJIANG, CHINA